



GENERAL CATALOGUE 2021

AUTHOR: BY ORDER OF PARDIS CERAM COMPANY (TEL: 051 43239562-5)

WWW.PCP.CO.IR | INSTAGRAM: PARDIS.CERAMPAZH

MASHHAD-IRAN-2023

CIRCULATION: 1000

CEO: DR.JALAL JALALZADEH

PROJECT MANAGMENT: DR.PARSA JALALZADEH

COPYWRITER: MAHLA SAFAEI

CREATIVE DIRECTOR: POURIA MOKHTARI

ART DIRECTOR: ALIREZA AZIZI

GRAPHIC DESIGNER & POST-PRODUCTION : NILOOFAR ABDOLAHI

3D ARTIST: ALI EHTESHAM

PREPARED IN PARDIS DESIGN STUDIO-MASHHAD

(TEL: 051-38 33 93 07)

CONTENTS

ALTON	12	NOSHA	91
ADRIANA	13	RAMANA	96
ALVAND	18	PIKASO	97
ALBRO LIGHT	19	SAHAR	102
ARIZONA	24	ROTANA	103
ARIYA	25	TARA	108
BERNO	30	SAMANTA	109
AVIN	31	ZINA	114
ZENIT CREAM	36	TORENTO	115
ZENIT BLUE	37	WHITE	120
CORONA	42	PARIS	120
CHELSEA	43	TOKTAM	121
HELION	48	KEYHAN	121
CORTEZ GRAY	49	QUARTZ	130
HITA	54	EMPERADO	131
HIRBOD	55	AGHIGH	131
KARIN	60	MARTA	138
KANI	61	FERIYAL	139
KAVIR	66	AGEST	145
KASRA	67	BARCELON	146
LONA	72	FRANCESCO	149
KIARA	73	ARMANDO GRAY	150
MADRID	78	LAQUIN LIGHT GRAY	153
LOVELY	79	LAQUIN GRAY	154
MARLIK	84	TENO	157
MARAN	85	ZINCO	158
PANDA	90	NARNIA	161



شرکت پردیس سرام پاژ در سال ۱۳۸۹ در زمینی به مساحت ۳۲ هکتار با مشارکت و سرمایه‌گذاری کشور چین در شهرک صنعتی عطار نیشابور به بهره برداری رسید. عملیات بنایی و ساخت شرکت از فروردین سال ۱۳۹۰ و عملیات تولید از مهرماه ۱۳۹۱ آغاز گردید. در ابتدای فرایند تولید، شرکت سرام پاژ تولید کاشی دیوار دو پخت با بدنه سفید را در دستور کار خود قرار داد.

استفاده از پیشرفته‌ترین دستگاه‌های روز دنیا در زمینه پولیش و همچنین تکنولوژی نانو در خط تولید در کنار بزرگترین و خاص‌ترین کوره پخت کشور، این شرکت را به یکی از سردمداران تولید سرامیک کف تبدیل کرده است.

این مجموعه صنعتی در حال حاضر ماهانه حدود بیش از ۶۰۰۰۰ متر مکعب سرامیک در سایزهای ۶۰ در ۸۰، ۶۰ در ۸۰، ۶۰ در ۱۲۰، ۸۰ در ۱۲۰، ۱۰۰ در ۱۲۰، ۱۰۰ در ۱۶۰ و ۱۲۰ در ۱۸۰ با انواع لعاب‌های ترانس، اپک، نیمه اپک و مات و افکت‌های گوناگون لعاب تولید می‌کند. حضور مستقیم حدود ۵۰۰ نفر کمک‌شایانی به اشتغال‌زایی و خدمات‌رسانی به مردم این مرز و بوم کرده است. همکاری با صنایع همچون معادن، کارتن‌سازی، حمل و نقل، تزریق پلاستیک و سایر صنایع وابسته ما را در رسیدن به اهدافمان یاری می‌نماید.

شرکت پردیس سرام پاژ در سال ۱۳۹۵ همزمان با پیشرفت صنعت کاشی و سرامیک در ایران و بنا به صلاحدید مدیران ارشد شرکت، طرح توسعه برای تولید پایدار کلید زد. بر اساس این طرح، شرکت سرام پاژ محصول خود را به کاشی پرسلانی کف تغییر داد. از اول خردادماه همان سال خط تولید شرکت جهت تغییر محصول متوقف و از اول مهرماه ۱۳۹۵ خط تولید محصولات جدید با قابلیت تولید روزانه حدود ۱۵۰۰۰ متر مربع فعال شد.

پس از شیوع ویروس کرونا در سال ۱۳۹۸ و عدم حضور متخصصین چینی روند تولید متوقف گردید. آقای دکتر جلال زاده، در اردیبهشت ۱۳۹۹ با اعتماد و تکیه بر متخصصین داخلی، شرکت مجدد راه‌اندازی و تولید کاشی پرسلانی را از سر گرفته شد.

با انجام همگانی واکسیناسیون کرونا، پرسنل چینی مجدد در آبان‌ماه ۱۳۹۹ به خط تولید بازگشتند اما یک سال بعد یعنی در اسفندماه سال ۱۴۰۰ با تغییر بدنه و لعاب بومی، شرکت به طور کامل به متخصصین ایرانی واگذار شد. از آن زمان تا به حال، سبد محصولات شرکت با تولید کاشی‌های پرسلانی مشکی و تیره توسعه پیدا کرده است.

افتخارات

رویدادهای مهم



- گواهینامه استاندارد ISO 9001
- گواهینامه استاندارد CE اروپا
- گواهینامه های استاندارد ملی ایران شامل:
 - INSO-9169-2
 - INSO-9169-3
 - INSO-9169-4
 - INSO-9169-6
 - INSO-9169-7

KEDA

- تاسیس شرکت مشترک با چین ۱۳۸۹
- آغاز عملیات بنایی و ساخت شرکت ۱۳۹۰
- آغاز عملیات تولید ۱۳۹۱
- اجرای طرح توسعه تولید پایدار و تغییر خط تولید از کاشی دیوار دو پخت به کاشی پرسلانی کف ۱۳۹۵
- توقف روند تولید همزمان با شیوع کرونا و خارج شدن متخصصین چینی از پروژه ۱۳۹۸
- بازگشت نیروهای چینی پس از واکسیناسیون کرونا و تکیه بر متخصصین داخلی ۱۳۹۹
- واگذاری کامل شرکت به متخصصین داخلی ۱۴۰۰

۱۳۸۹
۱۳۹۰
۱۳۹۱
۱۳۹۵
۱۳۹۸
۱۳۹۹
۱۴۰۰

KEDA

۱۱-نماینده مرکزی: بازرگانی ابر تجارت
شماره تماس: ۰۹۱۵۳۱۴۱۶۴۲ / ۰۹۱۳۰۲۹۲۷۵

۱۲-نماینده آذربایجان شرقی: بازرگانی پاکدل
شماره تماس: ۰۴۱۳۴۷۶۸۵۳۵-۷ / ۰۴۱۳۳۳۳۲۹۳۱
۰۹۱۴۸۱۴۸۱۲۹

۱۳-نماینده زنجان: بازرگانی محرمی
شماره تماس: ۰۹۱۲۳۴۱۹۳۵۷

۱۴-نماینده مازندران: بازرگانی سیفی پور
شماره تماس: ۰۹۱۲۰۳۰۹۲۱۴

۱۵-نماینده کردستان: بازرگانی علانی
شماره تماس: ۰۹۱۸۸۷۴۵۷۲۱

۱۶-نماینده اصفهان: بازرگانی آبا ده
شماره تماس: ۰۳۱۴۵۹۲۰ / ۰۳۱۳۵۵۷۳۴۲۰
۰۳۱۳۶۶۴۵۴۷۰

۱۷-نماینده یزد: بازرگانی ضیائی
شماره تماس: ۰۳۵-۳۸۴۱۷۶۲۰-۲۶ / ۰۹۱۳۱۵۳۷۰۱

۱۸-نماینده آذربایجان غربی: بازرگانی ابر تجارت
شماره تماس: ۰۹۱۵۳۱۴۱۶۴۲ / ۰۹۱۳۰۲۹۲۷۵

۱۹-نماینده سیستان و بلوچستان: بازرگانی جعفری
شماره تماس: ۰۹۱۵۱۴۰۱۰۱۶

۲۰-نماینده اردبیل: بازرگانی ابر تجارت
شماره تماس: ۰۹۱۵۳۱۴۱۶۴۲ / ۰۹۱۳۰۲۹۲۷۵

۱-نماینده تهران: بازرگانی اسکندری
شماره تماس: ۰۲۱۲۶۳۱۸۶۳۶-۸

۲-نماینده خراسان: بازرگانی جهانی
شماره تماس: ۰۵۱-۳۷۲۶۲۱۰ / ۰۵۱-۳۷۲۴۲۵۱۲
۰۹۱۵۴۲۰۲۷۴۷ / ۰۹۰۵۱۴۲۶۶۰

۳-نماینده البرز: بازرگانی غفرانی
شماره تماس: ۰۹۳۷۵۴۸۵۱۵۸ / ۰۹۹۲۶۳۶۵۹۶۰۱

۴-نماینده همدان: بازرگانی احمدی خرم
شماره تماس: ۰۸۱۳۴۲۰۱۴۸۳ / ۰۹۱۸۱۱۱۱۲۴۱

۵-نماینده سمنان: بازرگانی ارغان
شماره تماس: ۰۲۳۳۱۰۴۹ / ۰۹۱۲۱۳۱۸۷۰۲

۶-نماینده فارس: بازرگانی علوی
شماره تماس: ۰۹۱۷۱۱۱۴۶۴۵ / ۰۹۰۲۱۱۱۴۶۴۵
۰۹۱۲۰۵۸۹۱۲ / ۰۹۰۳۱۱۱۴۶۴۵

۷-نماینده گلستان: بازرگانی سورنا - بازرگانی حسینی
شماره تماس: ۰۱۷۳۲۲۲۶۶۲۶ / ۰۱۷۳۲۴۳۵۷۰۲

۸-نماینده گلستان (گنبد): بازرگانی تقوی
شماره تماس: ۰۱۷۳۳۲۲۴۶۴۰


۹-نماینده کرمانشاه: بازرگانی مومیوند
شماره تماس: ۰۹۱۲۵۴۹۷۷۰ / ۰۹۱۹۷۳۶۲۰۵

۱۰-نماینده ایلام: بازرگانی امیدیان
شماره تماس: ۰۹۱۸۱۴۳۴۲۳۹



ADRIANA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY





ADRIANA
NANOPOLISH
4 FACES
80x80 CM



ALTON

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



ALTON
NANOPOLISH
FLOOR TILE
RANDOM FACES



ADRIANA




ALTON



ALBRO LIGHT

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY





ALBRO LIGHT
NANOPOLISH
60x120 CM 6 FACES
80x80 CM 5 FACES



ALVAND

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



ALVAND
NANOPOLISH
RANDOM FACES
80x80 CM




ALBRO LIGHT



ALVAND

ARIYA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY





ARIYA
NANOPOLISH
FLOOR TILE
RANDOM FACES



ARIZONA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



ARIZONA
NANOPOLISH
FLOOR TILE
RANDOM FACES



ARIYA







ARIZONA



AVIN

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






AVIN
NANOPOLISH
FLOOR TILE
RANDOM FACES



BERNO

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



BERNO
NANOPOLISH
60x120 CM 4 FACES
60x60,80x80 8 FACES



AVIN




BERNO



ZENIT BLUE

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY




ZENIT BLUE
NANOPOLISH& MATT
FLOOR TILE
RANDOM FACES



ZENIT CREAM

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



ZENIT CREAM
NANOPOLISH& MATT
FLOOR TILE
RANDOM FACES



ZENIT BLUE





ZENIT CREAM



CHELSEA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






CHELSEA
NANOPOLISH
FLOOR TILE
RANDOM FACES



CORONA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



CORONA
NANOPOLISH
FLOOR TILE
RANDOM FACES



CHELSEA




CORONA



CORTEZ GRAY

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY




CORTEZ GRAY
NANOPOLISH
60x60 CM 6 FACES
80x80 CM 6 FACES



HELION

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



HELION
NANOPOLISH
FLOOR TILE
RANDOM FACES



CORTEZ GRAY





HELION



HIRBOD

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






HIRBOD
NANOPOLISH
60x60 CM 3 FACES
60x60 CM 3 FACES



HITA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



HITA
NANOPOLISH
FLOOR TILE
RANDOM FACES



HIRBOD





HITA



KANI

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



KANI
NANOPOLISH
FLOOR TILE
RANDOM FACES



KARIN

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



KARIN
NANOPOLISH
FLOOR TILE
RANDOM FACES



KANI





KARIN



KASRA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






KASRA
NANOPOLISH
FLOOR TILE
RANDOM FACES



KAVIR

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



KAVIR
NANOPOLISH
FLOOR TILE
RANDOM FACES



KASRA




KAVIR



KIARA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY





KIARA
NANOPOLISH
FLOOR TILE
RANDOM FACES



LONA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



LONA
NANOPOLISH
FLOOR TILE
RANDOM FACES



KIARA




LONA



LOVELY

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY




LOVELY
NANOPOLISH
FLOOR TILE
RANDOM FACES



MADRID

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



MADRID
MATT
60x60 CM 3 FACES
80x80 CM 3 FACES



LOVELY






MADRID



MARAN

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY





MARAN
NANOPOLISH
FLOOR TILE
RANDOM FACES



MARLIK

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



MARLIK
NANOPOLISH
FLOOR TILE
RANDOM FACES



MARAN




MARLIK



NOSHA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






NOSHA
NANOPOLISH
FLOOR TILE
80x80 CM 5 FACES



PANDA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



PANDA
NANOPOLISH
80x80 CM 6 FACES
60x120 CM 4 FACES



NOSHA




PANDA



PIKASO

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






PIKASO
NANOPOLISH
80x80 CM 5 FACES
60x120 CM 5 FACES



RAMANA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



RAMANA
NANOPOLISH
FLOOR TILE
RANDOM FACES



PIKASO




RAMANA



ROTANA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






ROTANA
NANOPOLISH
FLOOR TILE
RANDOM FACES



SAHAR

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



SAHAR
NANOPOLISH
FLOOR TILE
RANDOM FACES



ROTANA





SAHAR



SAMANTA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY






SAMANTA
MATT
FLOOR TILE
RANDOM FACES



TARA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



TARA
NANOPOLISH
FLOOR TILE
RANDOM FACES



SAMANTA



TARA



TORENTO

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY




TORENTO
NANOPOLISH
RANDOM FACES
80x80 CM



ZINA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



ZINA
NANOPOLISH
FLOOR TILE
RANDOM FACES



TORENTO




ZINA



KEYHAN

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



TOKTAM

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY







PARIS

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



WHITE

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



KEYHAN
NANOPOLISH
FLOOR TILE
SINGLE FACE



TOKTAM
MATT
FLOOR TILE
SINGLE FACE



PARIS
MATT
FLOOR TILE
SINGLE FACE



WHITE
NANOPOLISH
FLOOR TILE
SINGLE FACE



KEYHAN



TOKTAM

PARIS




WHITE



AGHIGH

PORCELAIN | DOUBLE FIRING | RECTIFIED | FLAT | WHITE BODY







EMPERADO



QUARTZ

PORCELAIN | DOUBLE FIRING | RECTIFIED | FLAT | WHITE BODY



AGHIGH
NANOPOLISH
FLOOR TILE
SINGLE FACE



EMPERADO
NANOPOLISH
FLOOR TILE
SINGLE FACE



QUARTZ
NANOPOLISH
FLOOR TILE
SINGLE FACE



AGHIGH



EMPERADO



QUARTZ



FERIYAL

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



FERIYAL
NANOPOLISH
FACE A
60x120 CM



FERIYAL
NANOPOLISH
FACE B
60x120 CM



MARTA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



MARTA
NANOPOLISH
FACE A
60x120 CM



MARTA
NANOPOLISH
FACE B
60x120 CM



FERIYAL




MARTA



AGEST

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



AGEST
NANOPOLISH
60x120 CM
5 FACES



BARCELON

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



BARCELON
NANOPOLISH
60x120 CM
6 FACES

FRANCESCO

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



FRANCESCO
NANOPOLISH
60x120 CM
6 FACES



ARMANDO GRAY


PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



ARMANDO GRAY
NANOPOLISH
60x120 CM
4 FACES

LAQUIN LIGHT GRAY

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY





LAQUIN LIGHT GRAY
MATT
60x120 CM
4 FACES



LAQUIN GRAY




PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



LAQUIN GRAY
MATT
60x120 CM
4 FACES

TENO

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



TENO
MATT
60x120 CM
RANDOM FACES



ZINCO

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



ZINCO
NANOPOLISH
60x120 CM
6 FACES

NARNIA

PORCELAIN | DOUBLE FIRING | RECTIFIED | DIGITAL | WHITE BODY



NARNIA
NANOPOLISH
60x120 CM
5 FACES



فرایند تهیه و تولید کاشی و سرامیک پردیس

پس از مطالعه فرمولاسیون بدنه تولید، خاک‌های مورد تایید از معادن مرغوب و مهم کشور تهیه می‌گردد و مطابق با شرایط تولید محصول، جهت بارگیری دوغاب و سپس تهیه پودر (گرنول) به واحد آماده سازی بدنه ارسال می‌شود. گرنول‌های تهیه شده پس از ۲۴ ساعت نگهداری در سیلوهای خاص ذخیره و وارد مرحله فرم‌دهی (پرس‌ها) می‌شوند.

مشخصات دستگاه‌های پرس

مجموعه پردیس سرام با دارا بودن پرس‌هایی با توان ۳۸۰۰ و ۸۲۰۰ تن، توانایی تولید محصولاتی در سایزهای ۶۰ در ۶۰، ۸۰ در ۸۰، ۶۰ در ۶۰، ۸۰ در ۱۲۰، ۱۲۰ در ۱۲۰، ۱ متر در ۱ متر، ۱۲۰ در ۱۲۰، ۸۰ در ۱۲۰ و ۹۰ در ۱۸۰ با کیفیت بالا را دارا می‌باشد.

مشخصات کوره‌ها

از مختصات فنی کوره‌های مجموعه پردیس می‌توان به این موضوع اشاره کرد که قطعات پرس شده بعد از سایندهی وارد مرحله خشک‌کن‌های افقی شده و سپس وارد کوره بیسکوئیت می‌شود. لازم به ذکر است که مجموعه کاشی پردیس، تنها تولیدکننده کاشی پرسلانی دو پخت در سطح منطقه و ایران می‌باشد و این امکانات باعث افزایش کیفیت سطح محصولات شرکت و استحکام آن‌ها می‌شود.

در کوره دوم (کوره لعاب) به طول ۳۰۰ متر و با ۹ منطقه پخت، فرایند نهایی پخت کاشی پرسلان انجام می‌پذیرد.

لعاب‌سازی

در این قسمت از مواد اولیه مرغوب، لعاب انگوب موردنیاز خط تولید تهیه و وارد خط لعاب می‌گردد. بیسکوئیت‌هایی که در این مرحله پخت تهیه گردیده، وارد خط شده و پس از اعمال لعاب و چاپ دیجیتال با وضوح DPI ۴۰۰ وارد کوره دوم (کوره لعاب) می‌شوند. از مشخصات مهم دستگاه‌های چاپ دیجیتال، تولید با کیفیت و وضوح بالای طرح‌های محصولات پردیس سرام می‌باشد.

در پایان، پس از خروج محصولات از کوره لعاب و ماندگاری حداقل ۴۸ ساعته روی پالت‌های فلزی، فرآیند پرداخت آغاز می‌گردد. پس از این مرحله، اسکورینگ محصولات انجام شده و وارد مرحله بسته‌بندی می‌شود.


تاکید مدیرعامل محترم مجموعه پردیس، تولید کاشی پرسلان واقعی با جذب آب کمتر از ۵٪ و با کیفیت بالا و مطابق با استانداردهای روز اروپا می‌باشد.

جدول مشخصات بسته بندی

مشخصات بسته‌بندی محصولات تولیدی						
سایز	سایز	تعداد در کارتن (قالب)	تعداد در پالت	وزن کارتن	وزن پالت	هر متر کارتن
۶۰*۶۰	--	--	--	--	--	--
	۱۰ mm	۴	۳۶	۳۲	۱۱۶۷	۱,۴۴
۸۰*۸۰	۸,۸ mm	۴	۳۲	۴۹	۱۵۸۳	۲,۵۶
	۱۰ mm	۳	۳۴	۴۵	۱۵۴۵	۱,۹۲
۶۰*۱۲۰	۸,۸ mm	۴	۴۰	۵۴,۵	۲۱۹۵	۲,۸۸
	۱۰ mm	۳	۴۰	۵۰	۲۰۱۵	۲,۱۶
۸۰*۱۲۰	--	--	--	--	--	--
	۱۰ mm	۲	۴۲	۵۱	۲۱۵۷	۱,۹۲

جدول کدینگ محصولات

طیف	کیفیت	کد طرح	نوع رنگ	نوع چاپ	عملیات سطح	نوع لعاب	نوع انگوب	سایز	برند	نوع محصول																
سطح ۳-۱۱ کاراکتر	سطح ۱۰-۱ کاراکتر	سطح ۹-۴ کاراکتر	سطح ۸-۱ کاراکتر	سطح ۷-۱ کاراکتر	سطح ۶-۱ کاراکتر	سطح ۵-۱ کاراکتر	سطح ۴-۱ کاراکتر	سطح ۳-۲ کاراکتر	سطح ۲-۱ کاراکتر	سطح ۱-۱ کاراکتر																
کد	شرح	کد	شرح	کد	شرح	کد	شرح	کد	شرح	کد																
۱۱۱	طیف A	درجه یک	۱۱۱۱	مارلیک	D	تیره	D	دیجیتال	P	پولیش	N	معمولی	N	معمولی	سفید	O	سفید	O	معمولی	۱۸-۰۸	۸۰*۸۰	PF	پردیس فارسی	G	کرامیت لعابدار	
۱۱۱	طیف B	درجه دو	۱۱۱۱	آریزونا	L	روشن	R	روتاری	N	نیمه پولیش	O	سفید	O	سفید	O	سفید	O	سفید	O	۶	۶۰*۶۰	PZ	پژواک			
۱۱۱	طیف C	درجه سه			S	رنگ خاص	H	شابلونی	S	SPL	H	شابلونی	H	شابلونی	H	شابلونی	H	شابلونی	H	۱۷-۰۷	۶۰*۱۲۰	AN	آناک			
																					۳	۸۰*۱۲۰	BS	بارتاوا		
																						۱۰۰*۱۰۰	PLZ	پالیز		
																						۸۰*۱۶۰				
																						۱۲*۱۲۰				
																						۹۰*۱۸۰				



جدول مشخصات

Specification		ISO 13006 NO.	ISO 13006 Limited	Pardis Ceram Pazh Limited
Length and width		ISO 10545-2	± 2.0 mm	±0.5 mm
Thickness		ISO 10545-2	±0.5 mm	±0.3 mm
Straightness of sides		ISO 10545-2	±1.5 mm	±1 mm
Rectangularity		ISO 10545-2	±2 mm	±0.8 mm
Surface flatness	a) centre curvature	ISO 10545-2	±2 mm	±0.8 mm
	b) edge curvature	ISO 10545-2	±2 mm	±0.7mm
Water absorption		ISO 10545-3	Ev ≤ 0.5 %	Ev ≤ 0.3 %
Breaking strength		ISO 10545-4	Newtons>1300	More than2200N
Modulus of rupture		ISO 10545-4	Minimum 35 (N/mm ²)	Minimum 40 (N/mm ²)
Abrasion resistance (Resistance to surface abrasion)		ISO 10545-7	Report abrasion class and cycles passed	Matte surface:3 Glossy surface:1
Thermal shock resistance		ISO 10545-9	Test method available	Result: Not crack
Crazing resistance		ISO 10545-11	Required	Result: Not crack
Frost resistance		ISO 10545-12	Required	Result: Not crack
Resistance to staining (glazed tiles)		ISO 10545-14	Minimum class 3	Matte surface:3 Glossy surface:4
Resistance to chemicals (glazed tiles)		ISO 10545-13	Manufacturer is to state classification	Acid : A Alkalia : B

Specification		ISO 13006 NO.	ISO 13006 Limited	Pardis Ceram Pazh Limited
Length and width		ISO 10545-2	± 2.0 mm	±0.5 mm
Thickness		ISO 10545-2	±0.5 mm	±0.3 mm
Straightness of sides		ISO 10545-2	±1.5 mm	±0.8 mm
Rectangularity		ISO 10545-2	±2 mm	±0.6 mm
Surface flatness	a) centre curvature	ISO 10545-2	±2 mm	±0.7 mm
	b) edge curvature		±2 mm	±0.7 mm
Water absorption		ISO 10545-3	Ev ≤ 0.5 %	Ev ≤ 0.3 %
Breaking strength		ISO 10545-4	Newtons>1300	More than2200N
Modulus of rupture		ISO 10545-4	Minimum 35 (N/mm ²)	Minimum 42 (N/mm ²)
Abrasion resistance (Resistance to surface abrasion)		ISO 10545-7	Report abrasion class and cycles passed	Matte surface:3 Glossy surface:1
Thermal shock resistance		ISO 10545-9	Test method available	Result: Not crack
Crazing resistance		ISO 10545-11	Required	Result: Not crack
Frost resistance		ISO 10545-12	Required	Result: Not crack
Resistance to staining (glazed tiles)		ISO 10545-14	Minimum class 3	Matte surface:3 Glossy surface:4
Resistance to chemicals (glazed tiles)		ISO 10545-13	Manufacturer is to state classification	Acid : A Alkalia : B

Specification		ISO 13006 NO.	ISO 13006 Limited	Pardis Ceram Pazh Limited
Length and width		ISO 10545-2	± 2.0 mm	±0.5 mm
Thickness		ISO 10545-2	±0.5 mm	±0.3 mm
Straightness of sides		ISO 10545-2	±1.5 mm	±1 mm
Rectangularity		ISO 10545-2	±2 mm	±0.8 mm
Surface flatness	a) centre curvature	ISO 10545-2	±2 mm	±0.9 mm
	b) edge curvature	ISO 10545-2	±2 mm	±0.7 mm
Water absorption		ISO 10545-3	Ev ≤ 0.5 %	Ev ≤ 0.4 %
Breaking strength		ISO 10545-4	Newtons>1300	More than2000N
Modulus of rupture		ISO 10545-4	Minimum 35 (N/mm ²)	Minimum 39 (N/mm ²)
Abrasion resistance (Resistance to surface abrasion)		ISO 10545-7	Report abrasion class and cycles passed	Matte surface:3 Glossy surface:1
Thermal shock resistance		ISO 10545-9	Test method available	Result: Not crack
Crazing resistance		ISO 10545-11	Required	Result: Not crack
Frost resistance		ISO 10545-12	Required	Result: Not crack
Resistance to staining (glazed tiles)		ISO 10545-14	Minimum class 3	Matte surface:3 Glossy surface:4
Resistance to chemicals (glazed tiles)		ISO 10545-13	Manufacturer is to state classification	Acid : A Alkalia : B

Specification		ISO 13006 NO.	ISO 13006 Limited	Pardis Ceram Pazh Limited
Length and width		ISO 10545-2	± 2.0 mm	±0.5 mm
Thickness		ISO 10545-2	±0.5 mm	±0.3 mm
Straightness of sides		ISO 10545-2	±1.5 mm	±0.8 mm
Rectangularity		ISO 10545-2	±2 mm	±0.6 mm
Surface flatness	a) centre curvature	ISO 10545-2	±2 mm	Concave : -0.7 mm Convex : +1 mm
	b) edge curvature		±2 mm	Concave : -0.6 mm Convex : +0.7 mm
Water absorption		ISO 10545-3	Ev ≤ 0.5 %	Ev ≤ 0.4 %
Breaking strength		ISO 10545-4	Newtons>1300	More than1700N
Modulus of rupture		ISO 10545-4	Minimum 35 (N/mm ²)	Minimum 42 (N/mm ²)
Abrasion resistance (Resistance to surface abrasion)		ISO 10545-7	Report abrasion class and cycles passed	Matte surface:3 Glossy surface:1
Thermal shock resistance		ISO 10545-9	Test method available	Result: Not crack
Crazing resistance		ISO 10545-11	Required	Result: Not crack
Frost resistance		ISO 10545-12	Required	Result: Not crack
Resistance to staining (glazed tiles)		ISO 10545-14	Minimum class 3	Matte surface:3 Glossy surface:4
Resistance to chemicals (glazed tiles)		ISO 10545-13	Manufacturer is to state classification	Acid : A Alkalia : B

Specification		ISO 13006 NO.	ISO 13006 Limited	Pardis Ceram Pazh Limited
Length and width		ISO 10545-2	± 2.0 mm	±0.5 mm
Thickness		ISO 10545-2	±0.5 mm	±0.3 mm
Straightness of sides		ISO 10545-2	±1.5 mm	±0.8 mm
Rectangularity		ISO 10545-2	±2 mm	±0.6 mm
Surface flatness	a) centre curvature	ISO 10545-2	±2 mm	±0.7 mm
	b) edge curvature		±2 mm	±0.7 mm
Water absorption		ISO 10545-3	Ev ≤ 0.5 %	Ev ≤ 0.3 %
Breaking strength		ISO 10545-4	Newtons>1300	More than2200N
Modulus of rupture		ISO 10545-4	Minimum 35 (N/mm ²)	Minimum 42 (N/mm ²)
Abrasion resistance (Resistance to surface abrasion)		ISO 10545-7	Report abrasion class and cycles passed	Matte surface:3 Glossy surface:1
Thermal shock resistance		ISO 10545-9	Test method available	Result: Not crack
Crazing resistance		ISO 10545-11	Required	Result: Not crack
Frost resistance		ISO 10545-12	Required	Result: Not crack
Resistance to staining (glazed tiles)		ISO 10545-14	Minimum class 3	Matte surface:3 Glossy surface:4
Resistance to chemicals (glazed tiles)		ISO 10545-13	Manufacturer is to state classification	Acid : A Alkalia : B

Specification		ISO 13006 NO.	ISO 13006 Limited	Pardis Ceram Pazh Limited
Length and width		ISO 10545-2	± 2.0 mm	±0.5 mm
Thickness		ISO 10545-2	±0.5 mm	±0.3 mm
Straightness of sides		ISO 10545-2	±1.5 mm	±1 mm
Rectangularity		ISO 10545-2	±2 mm	±0.8 mm
Surface flatness	a) centre curvature	ISO 10545-2	±2 mm	±0.1 mm
	b) edge curvature	ISO 10545-2	±2 mm	±0.8mm
Water absorption		ISO 10545-3	Ev ≤ 0.5 %	Ev ≤ 0.4 %
Breaking strength		ISO 10545-4	Newtons>1300	More than1800N
Modulus of rupture		ISO 10545-4	Minimum 35 (N/mm ²)	Minimum 38 (N/mm ²)
Abrasion resistance (Resistance to surface abrasion)		ISO 10545-7	Report abrasion class and cycles passed	Matte surface:3 Glossy surface:1
Thermal shock resistance		ISO 10545-9	Test method available	Result: Not crack
Crazing resistance		ISO 10545-11	Required	Result: Not crack
Frost resistance		ISO 10545-12	Required	Result: Not crack
Resistance to staining (glazed tiles)		ISO 10545-14	Minimum class 3	Matte surface:3 Glossy surface:4
Resistance to chemicals (glazed tiles)		ISO 10545-13	Manufacturer is to state classification	Acid : A Alkalia : B